

# Administrative Guideline



## SMPTE Metadata Registers Maintenance and Publication

---

### Table of Contents

<b>1</b>	<b>Scope</b>	<b>3</b>
<b>2</b>	<b>Conformance Notation</b>	<b>3</b>
<b>3</b>	<b>Normative References</b>	<b>3</b>
<b>4</b>	<b>Definitions</b>	<b>4</b>
4.1	Controlling Organization	4
4.2	Node	4
4.3	Entry	4
4.4	Defining Document	4
4.5	Metadata Register	4
4.6	Metadata Register Structure Document	4
4.7	Release	5
4.8	UL	5
<b>5</b>	<b>General</b>	<b>5</b>
5.1	Relationship with the Standards Operation Manual	5
5.2	Relationship with Metadata Register Structure Document	5
5.3	Metadata Register Sub Group	5
5.4	Metadata Register Structure Documents	5
5.5	Current Version Byte	5
<b>6</b>	<b>Entry Management and Publication</b>	<b>6</b>
6.1	Private-Use Entries	6
6.2	Public-Use Entries	6
6.3	SMPTE-Controlled Entry	6
<b>7</b>	<b>Development and Publication of a Release</b>	<b>6</b>
7.1	General	6
7.2	Initiation	7
7.3	Modification of a Release during Development	7
7.4	Release Project	7
7.5	Release Numbering	7
7.6	Publication	7

7.7	Amendment	7
<b>8</b>	<b>Submission Process</b>	<b>8</b>
8.1	General	8
8.2	Initiation	8
8.3	Initial_draft State	8
8.4	Draft State	9
8.5	Mature State	10
8.6	Accepted State	10
8.7	Withdrawn State	10
<b>Annex A</b>	<b>Acceptance Criteria (normative)</b>	<b>11</b>
A.1	General	11
A.2	Common Criteria	11
A.3	Top-Level Class 13 or Class 14 Nodes	13
A.4	SMPTE-Controlled Entries	13
A.5	Criteria for Public-Use Entries	14
<b>Annex B</b>	<b>Examples (informative)</b>	<b>15</b>
B.1	SMPTE Engineering Document as Defining Document	15
B.2	SMPTE RDD as Defining Document	15
B.3	AG 03 Reference as Defining Document or Class 13/14 Top-Level Node Allocation	15
<b>Annex C</b>	<b>Allocation and Transfer of Control of Public-Use Entries and Private-Use Entries (normative)</b>	<b>17</b>
C.1	Allocation	17
C.2	Transfer of Control	17
<b>Annex D</b>	<b>Private-Use Entries under SMPTE Control (normative)</b>	<b>18</b>
<b>Annex E</b>	<b>Public-Use Entries under SMPTE Control (normative)</b>	<b>19</b>

## Foreword

SMPTE (the Society of Motion Picture and Television Engineers) is an internationally-recognized standards developing organization. Headquartered and incorporated in the United States of America, SMPTE has members in over 80 countries on six continents. SMPTE's Engineering Documents, including Standards, Recommended Practices, and Engineering Guidelines, are prepared by SMPTE's Technology Committees. Participation in these Committees is open to all with a bona fide interest in their work. SMPTE cooperates closely with other standards-developing organizations, including ISO, IEC and ITU.

## Introduction

This section is entirely informative and does not form an integral part of this Administrative Guideline.

This Administrative Guideline covers all classes of Entries defined across all Metadata Register Structure Documents specified by SMPTE, and specifies:

- in Section 6, the process for allocating top-level Class 13 and 14 nodes to external entities;
- in Section 7, the process of developing and publishing Metadata Registers, which follows the development process specified in the Standards Operations Manual;

- in Section 8, a process for preparing stable entries for inclusion in a Metadata Register; and
- in Annex A, the criteria for accepting entries in Metadata Registers.

## 1 Scope

This Administrative Guideline specifies maintenance and publication processes specific to the SMPTE Metadata Registers.

## 2 Conformance Notation

Normative text is text that describes elements of the design that are indispensable or contains the conformance language keywords: "shall", "should", or "may". Informative text is text that is potentially helpful to the user, but not indispensable, and can be removed, changed, or added editorially without affecting interoperability. Informative text does not contain any conformance keywords.

All text in this document is, by default, normative, except: the Introduction, any section explicitly labeled as "Informative" or individual paragraphs that start with "Note:"

The keywords "shall" and "shall not" indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted.

The keywords, "should" and "should not" indicate that, among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others; or that a certain course of action is preferred but not necessarily required; or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited.

The keywords "may" and "need not" indicate courses of action permissible within the limits of the document.

The keyword "reserved" indicates a provision that is not defined at this time, shall not be used, and may be defined in the future. The keyword "forbidden" indicates "reserved" and in addition indicates that the provision will never be defined in the future.

A conformant implementation according to this document is one that includes all mandatory provisions ("shall") and, if implemented, all recommended provisions ("should") as described. A conformant implementation need not implement optional provisions ("may") and need not implement them as described.

Unless otherwise specified, the order of precedence of the types of normative information in this document shall be as follows: Normative prose shall be the authoritative definition; Tables shall be next; then formal languages; then figures; and then any other language forms.

## 3 Normative References

The following documents contain provisions which, through reference in this text, constitute provisions of this Administrative Guideline. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this document are encouraged to investigate the possibility of applying the most recent edition of the standards indicated below.

SMPTE ST 2003, Types Dictionary Structure

SMPTE ST 335, Metadata Element Dictionary Structure

SMPTE ST 395, Metadata Groups Registry Structure

SMPTE ST 400, Television – SMPTE Labels Structure

SMPTE ST 298, Television – Universal Labels for Unique Identification of Digital Data

SMPTE ST 336, Data Encoding Protocol Using Key-Length-Value

SMPTE Standards Operations Manual

SMPTE AG 03 Normative References

## **4 Definitions**

### **4.1 Controlling Organization**

Entity responsible for the creation, modification or deletion of an Entry.

### **4.2 Node**

Entry that can contain other Entries.

NOTE: A more detailed definition is provided in each Metadata Register Structure Document.

### **4.3 Entry**

Combines one UL and multiple associated properties.

NOTE: A more detailed definition is provided in each Metadata Register Structure Document.

### **4.4 Defining Document**

Document referenced in the Defining Document property of an Entry.

NOTE: A more detailed definition is provided in each Metadata Register Structure Document.

### **4.5 Metadata Register**

Collection of Entries defined by a Metadata Register Structure Document.

### **4.6 Metadata Register Structure Document**

SMPTE Engineering Document that defines a Metadata Register.

NOTE: The SMPTE Registration Authority website lists Metadata Register Structure Documents, as provided by Section 5.4.

## 4.7 Release

A SMPTE Standard, or a revision or amendment thereof, whose elements consists of one or more Metadata Registers to be published.

## 4.8 UL

SMPTE-administered Universal Label as specified in SMPTE ST 298 and constrained by SMPTE ST 336.

# 5 General

## 5.1 Relationship with the Standards Operation Manual

This Administrative Guideline expands on the Standards Operation Manual, Section 5.2.5 as applied to Registers. In case of conflict with the Standards Operation Manual and this document, the former prevails.

## 5.2 Relationship with Metadata Register Structure Document

This Administrative Guideline supersedes all procedural material specified in Metadata Register Structure Documents, in general, and those listed in Table 1, in particular.

**Table 1. Superseded Procedures and Criteria.**

SMPTE ST 335	Section 5 and Annex B
SMPTE ST 395	Section 5 and Annex B
SMPTE ST 2003	Section 5 and Annex B
SMPTE ST 400	Section 5 and Annex B

## 5.3 Metadata Register Sub Group

The Metadata Register Sub Group is the Sub Group (as defined in the Standards Operations Manual) responsible for developing Releases, as established by TC 30MR.

## 5.4 Metadata Register Structure Documents

The SMPTE Registration Authority website shall include a list of references to all Metadata Register Structure Documents, as determined from time-to-time by TC 30MR.

## 5.5 Current Version Byte

The SMPTE Registration Authority website shall include the current value of the version byte ("Current Version Byte") for each Metadata Register, as determined from time-to-time by TC 30MR.

## **6 Entry Management and Publication**

### **6.1 Private-Use Entries**

A Private-Use Entry is an Entry belonging to a top-level Class 14 Node whose control has been delegated to an entity other than SMPTE according to Annex C.

NOTE 1: The Controlling Organization of a Public-Use Entry can transfer control of the Entry back to SMPTE as specified in Annex C. Annex D lists Entries that were previously Private-Use Entries, but are currently SMPTE-Controlled Entries.

Private-Use Entries shall not be published by SMPTE. The Controlling Organization of a Private-Use entry is however encouraged to maintain and publish it using a method consistent with those specified herein.

The management and publication of Private-Use Entries is the sole responsibility of the Controlling Organization.

NOTE 2: Conformance of the UL of Private-Use Entries remains governed by ST 298 and ST 336.

### **6.2 Public-Use Entries**

A Public-Use Entry is an Entry belonging to a top-level Class 13 Node whose control has been delegated to an entity other than SMPTE according to Annex C.

Note: The Controlling Organization of a Private-Use Entry can transfer control of the Entry back to SMPTE as specified in Annex C. 0 lists Entries that were previously Public-Use Entries, but are currently SMPTE-Controlled Entries.

Public-Use Entries shall be published by SMPTE using the Release process specified in Section 7.

Each Controlling Organization shall submit for publication all Public-Use Entries it defines.

### **6.3 SMPTE-Controlled Entry**

A SMPTE-Controlled Entry is an Entry that is neither a Private-Use Entry nor a Public-Use Entry.

SMPTE-Controlled Entries shall be published by SMPTE using the Release process specified in Section 7.

No SMPTE Engineering Document should be balloted to FCD until all Entries it defines have reached the "mature" state.

No SMPTE RDD should undergo committee ballot until all Entries it defines have reached the "mature" state.

No SMPTE Engineering Document or RDD should be published until all Entries it defines have reached the "accepted" state.

## **7 Development and Publication of a Release**

### **7.1 General**

A Release follows the development process for Engineering Documents, as specified in the Standards Operations Manual.

The document number of the Release is assigned as provided in AG 02.

NOTE: A Release typically includes Metadata Registers for all Metadata Register Structure Documents.

## **7.2 Initiation**

A Release is initiated by creating a Working Draft consisting of all Entries whose Submission is in the "Accepted" state at the time of initiation.

NOTE: As a result, only Entries that have undergone the Submission process are published.

A Release should be initiated twice every calendar year.

## **7.3 Modification of a Release during Development**

No Entry should be added to a Release at or after Committee Draft stage.

Any correction to an Entry included in a Release shall be made through a Submission.

## **7.4 Release Project**

There is one Project, as defined in the Standards Operations Manual, for each Release.

The Project shall be assigned to the Metadata Register Sub Group.

To help distinguish between Releases, the Project should be given a distinctive name.

EXAMPLE: Project names of past Releases have included condiment names such as "catsup" and "brown sauce".

## **7.5 Release Numbering**

A Release is numbered according to the Document Numbering requirements specified in AG 02.

The Release document number shall include both Year of Issue and Month of Issue, since multiple Releases are planned in a given year.

## **7.6 Publication**

Upon publication, a Release shall be made publicly available at the SMPTE Registration Authority website.

## **7.7 Amendment**

The amendment of a Release should be reserved for correcting errors before the next Release.

EXAMPLE: Periodic Releases lessens the need for amendments.

## 8 Submission Process

### 8.1 General

A Submission is a Request to alter a Metadata Register. It follows the Submission process, which is specified in the following Sections and illustrated in Figure 1, and is intended to prepare stable Entries for inclusion in a Release.

Annex B provides selected examples of the Submission process.




Figure 1. Submission Process (informative).

The Metadata Register Sub Group shall make available to its parent Technology Committee all Submissions not incorporated in a Release. The Standards Vice President may, at his or her discretion, make the latter available publicly.

### 8.2 Initiation

A Submission achieves "initial\_draft" state upon submission by a Submitter to the Metadata Register Sub Group.

The Submission shall meet the Acceptance Criteria specified in Section Annex A.

NOTE: Submitters are encouraged to work with the chair of the Metadata Register Sub Group prior to initiating a Submission to ensure that it meets the Acceptance Criteria.

### 8.3 Initial\_draft State

#### 8.3.1 Actions

The Submission shall be offered for review to the Metadata Register Sub Group.

The Submitter shall be responsible for addressing any deviation from the Acceptance Criteria noted by the Metadata Register Sub Group, and submitting a revised Submission.



NOTE 1: An "initial\_draft" Submission is susceptible to significant substantive changes.

### **8.3.2 Transition to Draft state**

The Submission shall transition to the "draft" state if:

- every UL defined by the Submission has been reserved such that it is not available to any other Submission; and
- the Metadata Register Sub Group has not determined, by consensus, that the Submission fails to meet the Acceptance Criteria.

### **8.3.3 Transition to Withdrawn state**

The Submission shall transition to "withdrawn" if:

- requested by the Submitter; or
- the Submission has been abandoned, as determined by consensus of the Technology Committee of the Metadata Register Sub Group.

## **8.4 Draft State**

### **8.4.1 Actions**

The Submission shall be offered to the parent Technology Committee of the Metadata Register Sub Group for review.

NOTE 1: A "draft" Submission remains susceptible to modifications following TC review.

NOTE 2: The Technology Committee Chair determines the duration of the review, as needed to achieve the transition criteria of Section 8.4.2. This duration can be arbitrarily short if, for instance, the Submission was previously reviewed and changes are trivial.

### **8.4.2 Transition to mature State**

The Submission shall transition to the "mature" state unless the parent Technology Committee of the Metadata Register Sub Group has determined, by consensus, that the Submission fails to meet the Acceptance Criteria.

NOTE: Members that wish to provide comments beyond those related to the Acceptance Criteria are encouraged to join the group responsible for the Submission .

### **8.4.3 Transition to initial\_draft State**

The Submission shall transition to "initial\_draft" if any substantive modification is made to the Submission.

### **8.4.4 Transition to Withdrawn State**

The Submission shall transition to "withdrawn" if:

- requested by the Submitter; or

- the Submission has been abandoned, as determined by consensus of the Technology Committee of the Metadata Register Sub Group.

## **8.5 Mature State**

### **8.5.1 Transition to Accepted State**

The Submission shall transition to the "accepted" state once the Defining Document of all Entries whose Defining Document is an Engineering Document or a Registered Disclosure Document, if any, has passed ST Audit and matches the contents of the Entry exactly.

NOTE 1: The "mature" state is provided if the Defining Document might undergo further modifications, but requires a stable Submission to proceed.

NOTE 2: A "mature" Submission is modified if the Defining Document is modified.

A Submission that does not include Entries from a Defining Document that is an Engineering Document or a Registered Disclosure Document shall transition to the "accepted" state immediately.

### **8.5.2 Transition to Initial\_Draft State**

The Submission shall transition to "initial\_draft" if any substantive modification is made to the Submission.

### **8.5.3 Transition to Withdrawn State**

The Submission shall transition to "withdrawn" if:

- requested by the Submitter; or
- the Submission has been abandoned, as determined by consensus of the parent Technology Committee of the Metadata Register Sub Group.

## **8.6 Accepted State**

Modifications shall not be made to the Submission.

## **8.7 Withdrawn State**

### **8.7.1 Actions**

All ULs defined by the Submission shall become available to other Submissions.

### **8.7.2 Transition to Initial\_Draft State**

The Submission may transition to "initial\_draft" if requested by the Submitter.

## Annex A Acceptance Criteria (normative)

### A.1 General

Submissions defining Public-Use Entries shall meet the criteria of Sections A.2 and A.5.

Submissions defining top-level Class 13 or Class 14 Nodes shall meet the criteria of Sections A.2 and A.3.

Submissions defining SMPTE-Controlled Entries other than top-level Class 13 or Class 14 Nodes shall meet the criteria of Sections A.2 and A.4.

### A.2 Common Criteria

#### A.2.1 Contact Information

The Submission shall include contact information for the Submitter.

#### A.2.2 Submission File Name

A submission should consist of a single zip file.

The filename of the zip file should conform to the following FILENAME syntax

```
FILENAME := TC "-REG-" TYPE "-" DESCRIPTION "-" DATE
TC := 1*(ALPHA / DIGIT)
TYPE := "DD" / "CORR" / "CLASS13" / "CLASS14" / "MISC"
DATE := YYYY "-" MM "-" DD
YYYY := 4DIGIT
MM := 2DIGIT
DD := 2DIGIT
```

The TC field is the short name of the parent TC of the Metadata Register Sub Group, e.g. 30MR.

The TYPE field shall be selected based on the nature of the submission as specified in Table 2

**Table 2. Submission File Name Type Field.**

TYPE	Type of submission
DD	Addition of an Entry
CORR	Correction to an existing Entry
CLASS13	Class 13 Node Allocation
CLASS14	Class 14 Node Allocation
MISC	Other

NOTE: The MISC type is intended to be used if no other types fit, e.g. a Submission that both adds and corrects Entries.

The DESCRIPTION field shall be selected based on the value of the TYPE field.

**Table 3. Submission File Name Description Field.**

<b>TYPE</b>	<b>DESCRIPTION</b>
DD	Concise description of item(s) being added (e.g. ST2067-1)
CORR	Concise description of item(s) being corrected (e.g. Groups-IsConcrete)
CLASS13	Description of Class13 node owner and purpose of change (e.g. AVID-new-entries)
CLASS14	Description of Class14 node owner and purpose of change (e.g. AVID-new-entries)
MISC	Other

The DATE field shall be the date when the Submission was initially submitted.

EXAMPLE 1: 30MR-REG-DD-ST2067-01-2017-12-10.zip

EXAMPLE 2: 30MR-REG-CLASS13-LOC-new-entries-2017-10-10.zip

### **A.2.3 Contents**

A Submission shall consist of one or more documents, each containing Entries that belong to one Metadata Register.

Each XML document shall conform to one of the XML Schema definitions, which shall be determined by TC 30MR from time-to-time and published on the SMPTE Registration Authority website.

The filename of each document should conform to the following DOCNAME syntax:

```
DOCNAME := TC "-"REG-" TYPE "-" DESCRIPTION "-" REGISTER
REGISTER := "groups" / "elements" / "labels" / "types"
```

where the TC, TYPE and DESCRIPTION fields shall match that of the Submission file name (Section A.2.2).

EXAMPLE: 30MR-REG-DD-ST2067-01-groups.xml, 30MR-REG-CLASS14-XYZCorp-labels.xml

The filename of each document shall remain constant throughout the Submission process.

### **A.2.4 Unique UL**

No UL added by the Submission shall be equal to any published or reserved UL.

This equality shall ignore the value of the Version Byte (Byte 8).

### **A.2.5 Conformance with the Metadata Register Structure Document**

Each Entry defined by the Submission shall conform to the corresponding Metadata Register Structure Document.

### **A.2.6 Consistency**

Each Entry defined by the Submission should be consistent other Entries within the same Node.

### **A.2.7 Single Controlling Organization**

All Entries defined by the Submission shall belong to the same Controlling Organization.

### **A.2.8 Deletion**

A Submission shall not result in an Entry being deleted.

NOTE: An Entry that is no longer appropriate is deprecated, i.e. its Deprecated field is set to "true".

## **A.3 Top-Level Class 13 or Class 14 Nodes**

### **A.3.1 Submitter**

The Submitter shall be the Director of Engineering.

### **A.3.2 Version Byte**

The Version Byte of each new UL shall be Current Version Byte specified in Section 5.5.

## **A.4 SMPTE-Controlled Entries**

### **A.4.1 Submitter**

The Submitter shall be a member of the Standards Community.

### **A.4.2 Version Byte**

The Version Byte of each new UL shall be Current Version Byte specified in Section 5.5.

### **A.4.3 Defining Document**

A Defining Document shall be associated with each Entry.

The Defining Document shall be either:

- a SMPTE Engineering Document;
- a specification listed in AG 03; or
- a SMPTE Registered Disclosure Document (RDD).

The Defining Document shall define the semantics of each Entry.

If the Defining Document is a SMPTE Engineering Document or a SMPTE Registered Disclosure Document, the Defining Document shall in addition define the associated properties of each Entry.

The Submission shall include a copy of the Defining Document, or the portion thereof sufficient to unambiguously define the semantics of the Entry.

**A.5 Criteria for Public-Use Entries**

**A.5.1 Submitter**

The Submitter shall be the Controlling Organization of the Entries modified by the Submission.

**A.5.2 Defining Document**

A Defining Document should be associated with each Entry.

**A.5.3 Version Byte**

The Version Byte of each new UL added by the Submission is at the discretion of the Submitter.

## Annex B Examples (informative)

### B.1 SMPTE Engineering Document as Defining Document

Figure 2 illustrates the Release process for an Entry whose Defining Document is a SMPTE Engineering Document.




Figure 2. Sample Timeline: Entry whose Defining Document is a SMPTE Engineering Document.

### B.2 SMPTE RDD as Defining Document

Figure 3 illustrates the Release process for an Entry whose Defining Document is a SMPTE RDD.





Figure 3. Sample Timeline: Entry whose Defining Document is a SMPTE RDD.

### B.3 AG 03 Reference as Defining Document or Class 13/14 Top-Level Node Allocation

Figure 3 illustrates the Release process for an Entry whose Defining Document references a normative reference permitted in AG 03, or in the case of a Class 13/14 Top-Level Node Allocation (see Annex C).



**Figure 4. Sample Timeline: Entry whose Defining Document is a AG 03 or is a Class 13/14 Top-Level Node.**



## **Annex C Allocation and Transfer of Control of Public-Use Entries and Private-Use Entries (normative)**

### **C.1 Allocation**

Any entity may request a top-level Class 13 or Class 14 Node from the Director of Engineering.

The request shall be in a form determined by the Director of Engineering and published on the SMPTE Registration Authority website, and may require a processing fee. The processing fee shall be determined from time-to-time by the Director of Engineering in consultation with the Standards Vice President and the Financial Vice President.

Upon receipt of the request and processing fee, the Director of Engineering shall initiate a Submission defining the Node being requested.

When the Submission achieves "draft" status, the entity becomes the Controlling Organization of all Entries within the Node, excluding the Node Entry itself, across all Metadata Register Structure Documents.

If the Submission is Withdrawn, the processing fee shall be returned to the requesting party.

### **C.2 Transfer of Control**

The Controlling Organization of a Private-Use or a Public-Use Entry may, at its sole discretion, transfer control of the Entry to SMPTE at perpetuity.

The document stipulating the transfer of control shall be in a form determined by the Director of Engineering.

## Annex D Private-Use Entries under SMPTE Control (normative)

Table 4 lists Private-Use Entries whose control has been delegated to SMPTE.

**Table 4. Private-Use Entries Controlled by SMPTE.**

<i>Node UL</i>	<i>Node Name</i>	<i>Notes</i>
		None

NOTE: A Private-Use Entry Controlled by SMPTE undergoes the same Submission process as any other SMPTE-Controlled Entry, and cannot be deleted and reused (see Section A.2.8).

## Annex E Public-Use Entries under SMPTE Control (normative)

Table 5 lists Public-Use Entries whose control has been delegated to SMPTE.

**Table 5. Public-Use Entries Controlled by SMPTE.**

<i>Bytes 9..11</i>	<i>Node Name</i>	<i>Notes</i>
0D.01.01	Structural Metadata	
0D.01.02	Partition Packs   Operational Patterns	
0D.01.03	Essence Containers	Delegated by AMWA Association.
0D.01.04	Descriptive Metadata Schemes	
0D.01.05	Generic Stream Partition	
0D.01.06	Application Metadata Plugin	

## **Bibliography**

SMPTE AG 02 Engineering Documents